

# Governor Raimondo's Task Force on Overdose Prevention and Intervention

September 9, 2020

DIRECTOR NICOLE ALEXANDER-SCOTT, M.D., M.P.H.; RHODE ISLAND DEPARTMENT OF HEALTH DIRECTOR KATHRYN POWER, M.Ed.; RHODE ISLAND DEPARTMENT OF BEHAVIORAL HEALTHCARE, DEVELOPMENTAL DISABILITIES, AND HOSPITALS



# WELCOME & ANNOUNCEMENTS

# 1482 NARCAN KITS DISTRIBUTED!

- 13 cities and towns
- Over 100 volunteers
- 17 organizations

From the staff at Project Weber/RENEW, thank you to all of our community partners who collaborated to make this event happen! RICARES, AIDS Care Ocean State, Parent Support Network, Community Care Alliance, Brown University School of Public Health, PONI, Anchor Recovery, East Bay Recovery Center, West Warwick HEZ, CODAC, VICTA, Thrive, House of Hope, Sojourner House, URI CFRP











# Data Update: Accidental Drug Overdose Deaths in Rhode Island


Governor Raimondo's Overdose Prevention and Intervention Task Force September 9, 2020

# Fatal Overdoses in Rhode Island Jan-May, 2016-2020



<u>All-Drug Fatal Overdoses</u>: At least one drug contributed to the death.


**Opioid-Involved Fatal Overdoses**: Any opioid, including fentanyl, contributed to the death.



Source: Office of the State Medical Examiners (OSME), Rhode Island Department of Health (RIDOH). Data updated as of August 28, 2020. Note: Data reflect accidental drug overdose deaths and do not include suicides, homicides, or undetermined deaths.

## Proportion of Fatal Overdoses by Select Substance, Jan-May 2016-2020






Source: Office of the State Medical Examiners (OSME), Rhode Island Department of Health (RIDOH). Data updated as of August 28, 2020. Note: Data reflect accidental drug overdose deaths and do not include suicides, homicides, or undetermined deaths.

#### Rhode Island Department of Health


Count of Overdose Fatalities by City and Town of Incidence from 01/01/2020-05/31/2020



Fatal
Overdoses
Based on
Location of
Incident

Rhode Island Department of Health

Count of Overdose Fatalities by City and Town of Residence from 01/01/2020-05/31/2020



Fatal
Overdoses
Based on
Victims'
Home
Residences



Rachel Scagos, MPH
Acting Program Manager
Drug Overdose Surveillance Program
Center for Health Data & Analysis (CHDA)
Rhode Island Department of Health
Rachel.Scagos@health.ri.gov



# Rally4Recovery Rhode Island











# Merging Two Datasets: Controlled Substance Use Among Individuals Who Died of An Opioid Overdose January 2016-June 2020

Governor's Overdose Prevention and Intervention Task Force September 9, 2020

#### Presentation Overview




 Merging data with the Office of the State Medical Examiners (OSME) and the Rhode Island Prescription Drug Monitoring Program (PDMP).

 Prior Opioid Prescribing Among Opioid-Related Overdose Deaths

 Prior Buprenorphine Prescribing Among Opioid Overdose Deaths

# Merging Datasets






#### Dataset: The Office of State Medical Examiners



- The Office of State Medical Examiners (OSME)
   determines an individual's cause and manner of death
   based on clinical judgement, experience, and
   consideration of the following:
  - Autopsy results
  - Toxicology testing
  - Scene investigation
  - Medical history
- RIDOH uses these data to identify all drug overdose deaths that occur in Rhode Island.

# Merging Datasets





#### Dataset: Rhode Island PDMP




- The Rhode Island PDMP collects data on all controlled substance prescriptions dispensed in the state or to Rhode Island residents, including Schedules II-V, or opioid antagonists, into a centralized database.
- PDMP limitations:
  - Collects information only on drugs that were dispensed.
  - Does not indicate if medication was taken as prescribed.
  - Data are not complete prior to April 2016.

**Note**: This presentation includes PDMP data for dispensed prescriptions from January 2010 to June 2020.

# Merging Datasets





# Why Merge These Two Datasets?



- Gather data on an individual's controlled substance prescription history.
- Answer important questions that can guide future prevention efforts, including:
  - Did the individual have any opioid prescriptions prior to or at the time of death?
  - Did the individual have a history of receiving buprenorphine?
  - Did the individual relapse?

## Overdose Deaths in Rhode Island



All Overdose Deaths (N=1,444)

Between January 2016 to June 2020, there have been **1,444 overdose deaths** in Rhode Island.\*

Opioid-Involved Deaths (N=1,246) Between January 2016 to June 2020, there have been **1,246 opioid-involved** overdose deaths.

These 1,246 individuals had 41,352 prescriptions documented in the Rhode Island PDMP.


\*May 2020 and June 2020 counts are preliminary and subject to increase.

Did any of these 1,246 individuals have a prior opioid prescription in the PDMP?\*

#### Percentage of People with a Prior Opioid Prescription, By Year of Death January 2016-June 2020




Among individuals who died of an opioid-related overdose, 2 in 3 (64%) had received a prior opioid prescription.



## Percentage of People with an Active Opioid Prescription at the Time of Death By Year of Death, January 2016-June 2020



Among individuals who died of an opioid overdose, 1 in 10 had an active opioid prescription at the time of death.



## Median Number of Months from Opioid Prescription to Time of Death




- Overall, the median number of months from the last day of an individual's opioid prescription to the time of their death was 10.7 months.
  - In 2019, the median was 19.3 months.
  - From January 2020-June 2020, the median was
     22.4 months.

Did individuals who died of an opioid-related overdose have any prior buprenorphine prescriptions?

# Buprenorphine and Methadone Prescribing in Rhode Island, June 2020






#### Percent of Individuals with Any Prior Buprenorphine Prescriptions January 2016-June 2020



Among individuals who died of an opioid overdose, about 1 in 4 (23%) had received any prior buprenorphine.




■ Any Prior Buprenorphine Prescriptions ■ No Prior Buprenorphine Prescriptions

### Percent of Individuals Who Completed Sustained Buprenorphine Treatment January 2016-June 2020

■ Ever completed sustained MAT Treatment



Among individuals who died of an opioid overdose, 1 in 20 (6%) had ever completed sustained (six months) of treatment with buprenorphine.




Never completed sustained MAT treatment

## Percent of Individuals Who Had an Active Buprenorphine Prescription at Time of Death January 2016-June 2020



Among individuals who died of an opioid overdose, 1 in 20 (4%) had an active buprenorphine prescription at time of death.



## Time from Last Buprenorphine Prescription to the Time of Death



- Overall, the **median number of months** from the last day of an individual's buprenorphine prescription to their time of death was **4.7 months**.
  - These data have not changed in 2020.



- Most (64%) of those who died of an opioid-related overdose had been prescribed an opioid in the past.
  - Efforts should continue to be directed at further reducing the number of initiate opioid pain medications prescribed.
  - <u>Examples</u>: Prescriber education through academic detailing and reimbursement for alternative pain management.
- Only 10% had an active prescription at time of death.
   On average, the time of death is more than a year after the end of the last prescription.
  - Efforts should continue to be directed toward linking people to care within that year or longer timeframe.



- Most (77%) individuals who died of an opioid-related overdose never received a buprenorphine prescription.
  - Efforts should continue to link individuals with MAT, especially if a person disengages from treatment.
  - Example: Promotion of the 24/7 Buprenorphine Hotline (401-606-5456) and BH-Link (401-414-5465).
- Few individuals (4%) were able to complete long-term MAT.
  - Efforts should continue to keep individuals engaged in longterm treatment and recovery support services.
  - Example: Connect with patients who have been discharged from the emergency department or treatment. Leverage support services and resources at local recovery centers.



- From the time a person takes their last dose of buprenorphine to the time of their time of death, about five months have passed.
  - This is a window of opportunity to connect people to treatment and recovery support services and reintegrate them into care.
  - Example: Expand the capacity for certified peer recovery support specialists and community health workers to connect with patients after they have engaged in treatment.



# Questions and Discussion



Benjamin Hallowell, PhD, MPH Biostatistician Center for Health Data and Analysis Rhode Island Department of Health Benjamin.Hallowell@health.ri.gov Heidi Weidele, MPH
Public Health Epidemiologist
Center for Health Data and Analysis
Rhode Island Department of Health
Heidi.Weidele@health.ri.gov



# Rhode Island Harm Reduction and Syringe Services Access Program

Needle Exchange Program and ENCORE

September 9, 2020

Governor's Overdose Prevention and Intervention Task Force

**Thomas Bertrand, MPH, MA** 


# Discussion Question



How do we maximize the Harm Reduction and Syringe Services Access Program in Rhode Island?

## Historical Overview of Needle Exchange Programs











- Established as a Rhode Island statute in 1994.
- CDC evidenced-based intervention:
  - Facilitates entry into treatment/care
  - Reduces infectious diseases
  - Reduces needles in communities
  - Does not increase illegal drug use
- Scott County, Indiana HIV persons who inject drugs (PWID) outbreak, 2015
- HIV PWID clusters in Boston, Lawrence, and Lowell, Massachusetts, 2019

# The VILLAGE Project, 2018



BROWN

School of Public Health

# Vulnerability Investigation of under Lying Local risk And Geographic Events

We used multiple datasets to identify both towns and neighborhoods in Rhode Island that may be at risk for a future outbreak of HIV infection or other drug-related harms. Using Rhode Island's own detailed geographic data, we were able to answer **our big question**:


What areas in Rhode Island are at greatest risk for future overdoses and other drug-related harms?

#### Community Level Risks for Potential Drug-Related HIV Infections and Overdose



by census tracts within municipalities (Rhode Island, 2018)

\* Not to scale



Red areas – those of high risk – indicate areas that share characteristics with neighborhoods that have seen high levels of overdose.

The risk level does not necessarily mean that these communities have seen or will see high levels of overdose, but this map can be used to help deploy resources appropriately to prevent harms in communities that may face the biggest risk.


Please visit **preventoverdoseri.org/rfpmap** to view an online version of this map.

#### Community Level Risks for Future Drug-Related HIV Infections and Overdose

We developed a map to illustrate the estimated risk for future drug overdose and HIV outbreaks in Rhode Island. Using the Centers for Disease Control and Prevention (CDC) methodology, we used different data sources to identify communities at highest risk. The risk level does not necessarily mean that these communities have seen or will see high levels of overdoses or HIV infections. However, these communities share characteristics with places that have experienced addiction and drug overdose in recent years.

While the overdose and addiction crisis impacts the entire state, this map highlights those communities that would be considered by the CDC most "vulnerable" to future drug-related HIV infections and overdose.

A more detailed analytic map is available for download.






For a complete list of variables used in this analysis, and a description of the analysis, please email Maxwell Krieger.

## Street-Level Detail







# RIDOH Harm Reduction RFP February 2019 Scope of Services












- Clean needles (IV and IM) distribution
- Injection materials, condoms, toiletry items
- Disposal of used needles
- Counseling/referral to drug treatment services
- Rapid HIV and hepatitis C testing







# RIDOH Harm Reduction RFP February 2019 Scope of Services








# 2) Target High-risk Census Tracts on VILLAGE MAP







- Establish at least three needle exchange sites focusing in VILLAGE Project communities with risk.
- Provide outreach focusing in areas of high community risk.

# Selected Agencies: AIDS Care Ocean State and Project Weber/RENEW





#### **Approach**

- Two fixed locations in South Providence.
- Mobile sites and street outreach in five cities (i.e., Providence, Newport, Woonsocket, Pawtucket, Central Falls).
- Home-delivery service to any residence or location in Rhode Island, including rural communities.

# Key Elements: ENCORE Needle Exchange





- Peer-delivered services
- No cost





Anonymous





- Client centered
- Trust

## Program Metrics and Outcomes July 1, 2019–December 31, 2019





#### **Client Interactions**

- Total client encounters: 802
- Unique clients served: 401



#### **Overdose Prevention**

- Total naloxone kits distributed: 134
- Estimated utilization of naloxone in overdose situations: 32/134 = 24%



#### **Needle Distribution/Disposal**

- Total needles distributed: 38,745
- Total needles returned: 24,718

## Highlights: Fiscal Year 2021







- New: SOR, TRUTH, CDC OD2A
- Continued: State, Federal CDC, Medicaid match.
- Overall, 200% Increase from \$106k (FY '17) to \$333k (FY '21).



#### Impact of COVID-19

- Services continued with modifications (i.e., food truck model).
- Missed appointments, relapse from recovery, lack of basic needs/housing, and unemployment.



- Starting in January 2020, observed an increase (+50%) in the number of sterile needles. requested and naloxone distributed.
- HIV diagnoses remain low.
- Participate in weekly RIDOH conference calls with other community partners to discuss ongoing street outreach efforts.



# Key Staff and Community Partners



#### **AIDS Care Ocean State**

Ray Joseph



# Cabe Government of Easy Touch



#### **Project Weber/Renew**

Colleen Daley Ndoye







#### <u>RIDOH</u>

Katharine Howe, MPH

# Discussion Question



How do we maximize the Harm Reduction and Syringe Services Program in Rhode Island?



#### **Thomas Bertrand**

Center for HIV, Hepatitis, STDs and TB Epidemiology Rhode Island Department of Health Thomas.Bertrand@health.ri.gov



# PUBLIC COMMENT